

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory-Form)
Form Approved
OMB No. 1218-0072

IDENTITY (As Used on Label and List) COLD PLUS CLEANER	<i>Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.</i>
---	--

Section I – Identity		NA = Not Applicable NIA = No Information Available	
Manufacturer's Name Lee Technology Inc.	Emergency Telephone Number 513 607-2381		
Address (Number, Street, City, State, and ZIP Code) PO Box 27166 Cincinnati OH 45227	Telephone Number For Information 562-422-1257		
Chemical Family	Date Prepared		
	Signature of Preparer (optional)		

Section II – Hazardous Ingredients					
Chemical Identity; Common Name(s)	CAS #	OSHA PEL	ACGIH TLV	Other Limits	%(optional)
none					

Section III – Physical Data			
Boiling Point	212° F	Specific Gravity (H ₂ O=1)	1.00
Vapor Pressure (mm Hg.)	<0.1 @ 100°F	Melting Point	
Vapor Density (AIR=1)		Evaporation Rate (Butyl Acetate = 1)	N/A
pH ,1%	6.9-7.1	% Voatile	
Solubility In Water Complete			
Appearance and Odor Clear amber , pleasant odor, liquid			

Section IV – Fire and Explosion Hazard Data			
Flash Point (Method Used)	Flammable Limits	LEL	UEL
Extinguishing Media			
Special Fire Fighting Procedures			
Unusual Fire and Explosion Hazards			

Section V – Physical Hazards / Reactivity Data

Stability STABLE	Unstable		Conditions to Avoid
	Stable		

Incompatibility (*Materials to Avoid*)

Hazardous Decomposition or Byproducts

Hazardous Polymerization	May Occur		Conditions to Avoid : NONE
	Will Not Occur	X	

Section VI – Health Hazard Data

Routes(s) of Entry:	Inhalation?	Skin?	Ingestion?
	X	X	X

Health Hazards (*Acute and Chronic*)

Ingestion; moderately toxic by ingestion Inhalation: not expected to be relevant route of exposure but high vapor mist concentrations
 May be irritating to the nose, throat, and upper respiratory track. Eye contact: liquid is moderately irritating to the eye. Skin contact: liquid is slightly
 Irritating to the skin.

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
------------------	------	------------------	-----------------

Signs and Symptoms of Exposure

Medical Conditions Generally Aggravated by Exposure

Pre-existing skin or eye disorders may be aggravated by prolonged exposure to liquid

Section VII – First Aid Measures

1. Inhalation

2. Eyes immediately flush for 15 minutes with water while holding eyelids open, seek medical attention

3. Skin for excessive prolonged exposure with liquid, immediately flush skin with plenty of water. Remove saturated clothing. Do not use saturated clothing until thoroughly dried.

4. Ingestion

Section VIII – Preventive MeasuresRespiratory Protection (*Specify Type*)

Ventilation	Local Exhaust	Special
	Mechanical (<i>General</i>)	Other

Protective Gloves	Eye Protection
-------------------	----------------

Other Protective Clothing or Equipment

Work/Hygienic Practices

Section IX – Special Precautions / Spill Leak Procedures

Steps to Be Taken in Case Material is Released or Spilled

Waste Disposal Method

Precautions to Be Taking in Handling and Storing

Other Precautions

STORE IN A CLEAN DRY AREA AWAY FROM OXIDIZING OR REDUCING AGENTS

Section X– Other Information