

Material Safety Data Sheet

May be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be
consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory-Form)

Form Approved

OMB No. 1218-0072

IDENTITY (As Used on Label and List) CALUSA CALCONC SHOP TOWEL DYE	<i>Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.</i>
--	--

Section I – Identity		NA = Not Applicable NIA = No Information Available	
Manufacturer's Name CALUSA PRODUCTS A DIVISION OF DIAMOND CHEMICAL COMPANY, INC.	Emergency Telephone Number 1-800-535-5053		
Address (Number, Street, City, State, and ZIP Code) UNION AVENUE & DUBOIS STREET EAST RUTHERFORD, NJ 07073	Telephone Number For Information (201) 935-4300		
	Date Prepared		
Chemical Family DYES	Signature of Preparer (optional)		

Section II – Hazardous Ingredients						
Chemical Identity; Common Name(s)	CAS #	OSHA PEL	ACGIH TLV	Other Limits	% (optional)	
NONE AS PER 29CFR 1910.1200	NA		NA			

Section III – Physical Data			
Boiling Point	NA	Specific Gravity (H ₂ O=1)	NA
Vapor Pressure (mm Hg.)	NA	Melting Point	NA
Vapor Density (AIR=1)	NA	Evaporation Rate (Butyl Acetate = 1)	NA
pH, 1%	NA	% Volatile	NA
Solubility In Water SOLUBLE			
Appearance and Odor POWDER CHARACTERISTIC – NO ODOR			

Section IV – Fire and Explosion Hazard Data			
Flash Point (Method Used) NA	Flammable Limits	LEL NA	UEL NA
Extinguishing Media WATER, CO ₂ , DRY CHEMICALS, FOAM			
Special Fire Fighting Procedures WEAR SAFE CONTAINED BREATHING APPARATUS. AVOID STIRRING UP DUST.			
Unusual Fire and Explosion Hazards PRODUCT NOT CONSIDERED A FIRE HAZARD.			

Section V – Physical Hazards / Reactivity Data

Stability	Unstable		Conditions to
	Stable	X	NONE

Incompatibility (*Materials to Avoid*)

NONE KNOWN

Hazardous Decomposition or Byproducts

COMBUSTION WILL PRODUCE OXIDES OF CARBON AND NITROGEN.

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	NONE

Section VI – Health Hazard Data

Routes(s) of Entry: Inhalation? Skin? Ingestion?

Health Hazards (*Acute and Chronic*)

NO EFFECTS KNOWN

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
NO	NO	NO	NO

Signs and Symptoms of Exposure

NO EFFECTS KNOWN

Medical Conditions Generally Aggravated by Exposure

NO EFFECTS KNOWN

Section VII – First Aid Measures

1. Inhalation

REMOVE TO FRESH AIR. CALL A PHYSICIAN IF DISCOMFORT PERSISTS

2. Eyes

FLUSH WITH RUNNING FOR 15 MINUTES. SEE PHYSICIAN IF DISCOMFORT PERSISTS.

3. Skin

WASH AREA WITH WATER AND SOAP.

4. Ingestion

DRINK 2-3 GLASSES OF WATER OR MILK. DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION.

Section VIII – Preventive MeasuresRespiratory Protection (*Specify Type*)

IF DUSTING POSSIBLE, USE NIOSH APPROVED DUST RESPIRATOR

Ventilation	Local Exhaust SUFFICIENT	Special NONE
	Mechanical (<i>General</i>) NONE	Other NONE

Protective Gloves

RUBBER OR PLASTIC

Eye Protection

SPLASH PROOF GOGGLES

Other Protective Clothing or Equipment

COVERALLS, APRON AND BOOTS

Work/Hygienic Practices

NA

Section IX – Special Precautions / Spill Leak Procedures

Steps to Be Taken in Case Material is Released or Spilled

USE AN ABSORBANT TO PREVENT DUSTING. WEAR NIOSH RESPIRATOR, SWEEP INTO DISPOSAL CONTAINER. WASH AREA WITH WATER.

Waste Disposal Method

IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS. DO NOT DISCHARGE INTO NATURAL WATERS.

Precautions to Be Taking in Handling and Storing

STORE IN CLEAN, DRY AREA. RESEAL CONTAINER IMMEDIATELY AFTER USE.

Other Precautions

WASH THOROUGHLY AFTER HANDLING

Section X– Other Information

APPLIES TO: CALUSA CALCONC SHOP TOWEL; BLUE, BROWN, DARK YELLOW, FOREST GREEN, GARNET, GREEN, NAVY, ORANGE, RED, SCARLET, VIOLET, AND YELLOW.

