

SAFETY DATA SHEET

Revision Date: 05/26/2011

Print Date: 10/9/2012

MSDS Number: R0000594

Version: 1.6

MINERAL SPIRITS ODORLESS
20094

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Nexeo Solutions	Regulatory Information Number	1-800-325-3751
PO Box 2458	Telephone	1-800-531-7106
Columbus, OH 43216	Emergency telephone number	1-855-639-3648

Product name MINERAL SPIRITS ODORLESS

Product code 20094
Product Use Description No data

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: liquid, Clear light

CAUTION! COMBUSTIBLE LIQUID AND VAPOR. MAY AFFECT THE CENTRAL NERVOUS SYSTEM CAUSING DIZZINESS, HEADACHE OR NAUSEA. MAY CAUSE RESPIRATORY TRACT IRRITATION. MAY BE HARMFUL IF INHALED OR SWALLOWED. PROLONGED OR REPEATED CONTACT MAY DRY THE SKIN AND CAUSE IRRITATION AND BURNS.

Potential Health Effects

Exposure routes

Inhalation, Skin absorption, Skin contact, Eye Contact, Ingestion

Eye contact

May cause mild eye irritation. Symptoms include stinging, tearing, and redness.

Skin contact

May cause mild skin irritation. Symptoms may include redness and burning of skin. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, and drying and cracking of skin, skin burns, and other skin damage.

Ingestion

SAFETY DATA SHEET

Revision Date: 05/26/2011

Print Date: 10/9/2012

MSDS Number: R0000594

Version: 1.6

MINERAL SPIRITS ODORLESS
20094

This material can get into the lungs during swallowing or vomiting. This results in lung inflammation and other lung injury.

Inhalation

It is possible to breathe this material under certain conditions of handling and use (for example, during heating, spraying, or stirring). Breathing small amounts of this material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful. Symptoms are not expected at air concentrations below the recommended exposure limits, if applicable (see Section 8.).

Aggravated Medical Condition

Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin, lung (for example, asthma-like conditions)

Symptoms

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: stomach or intestinal upset (nausea, vomiting, diarrhea), irritation (nose, throat, airways), central nervous system depression (dizziness, drowsiness, weakness, fatigue, nausea, headache, unconsciousness) and other central nervous system effects

Target Organs

Exposure to this material (or a component) has been found to cause kidney damage in male rats. The mechanism by which this toxicity occurs is specific to the male rat and the kidney effects are not expected to occur in humans.

Carcinogenicity

Based on the available information, this material cannot be classified with regard to carcinogenicity.

Reproductive hazard

Based on the available information, risk to the fetus from maternal exposure to this material cannot be assessed.

3. COMPOSITION/INFORMATION ON INGREDIENTS
--

Hazardous Components	CAS-No.	Concentration
NAPHTHA (PETROLEUM), HEAVY ALKYLATE	64741-65-7	<=100%

SAFETY DATA SHEET

Revision Date: 05/26/2011

Print Date: 10/9/2012

MSDS Number: R0000594

Version: 1.6

MINERAL SPIRITS ODORLESS
20094

4. FIRST AID MEASURES

Eyes

If symptoms develop, move individual away from exposure and into fresh air. Flush eyes gently with water while holding eyelids apart. If symptoms persist or there is any visual difficulty, seek medical attention.

Skin

Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist, seek medical attention. Launder clothing before reuse.

Ingestion

Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

Inhalation

If symptoms develop, move individual away from exposure and into fresh air. If symptoms persist, seek medical attention. If breathing is difficult, administer oxygen. Keep person warm and quiet; seek immediate medical attention.

Notes to physician

Hazards: This material is an aspiration hazard. Potential danger from aspiration must be weighed against possible oral toxicity (See Section 2 - Swallowing) when deciding whether to induce vomiting.

Treatment: No information available.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical, Carbon dioxide (CO2), Water spray

Hazardous combustion products

carbon dioxide and carbon monoxide, various hydrocarbons

SAFETY DATA SHEET

Revision Date: 05/26/2011

Print Date: 10/9/2012

MSDS Number: R0000594

Version: 1.6

MINERAL SPIRITS ODORLESS
20094

Precautions for fire-fighting

If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release. Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively. Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA). Use water spray to cool fire exposed containers and structures until fire is out if it can be done with minimal risk. Avoid spreading burning material with water used for cooling purposes.

NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class II

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

For personal protection see section 8. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Ensure adequate ventilation. Eliminate all ignition sources (flares, flames including pilot lights, electrical sparks). Pay attention to the spreading of gases especially at ground level (heavier than air) and to the direction of the wind.

Environmental precautions

Prevent spreading over a wide area (e.g. by containment or oil barriers). Do not let product enter drains. Do not flush into surface water or sanitary sewer system. Local authorities should be advised if significant spillages cannot be contained.

Methods for cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Other information

Comply with all applicable federal, state, and local regulations. Suppress (knock down) gases/vapours/mists with a water spray jet.

7. HANDLING AND STORAGE

SAFETY DATA SHEET

Revision Date: 05/26/2011

Print Date: 10/9/2012

MSDS Number: R0000594

Version: 1.6

MINERAL SPIRITS ODORLESS
20094

Handling

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed. Static ignition hazard can result from handling and use. Electrically bond and ground all containers, personnel and equipment before transfer or use of material. Special precautions may be necessary to dissipate static electricity for non-conductive containers. Use proper bonding and grounding during product transfer as described in National Fire Protection Association document NFPA 77.

Storage

Store in a cool, dry, ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Contains no substances with occupational exposure limit values.

General advice

These recommendations provide general guidance for handling this product. Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

Exposure controls

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Eye protection

Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection

Wear normal work clothing including long pants, long-sleeved shirts and foot covering to prevent direct contact of the product with the skin. Launder clothing before reuse. If skin irritation develops, contact your facility health and safety professional or your local safety equipment supplier to determine the proper personal protective equipment for your use. Wear resistant gloves (consult your safety equipment supplier).

SAFETY DATA SHEET

Revision Date: 05/26/2011

Print Date: 10/9/2012

MSDS Number: R0000594

Version: 1.6

MINERAL SPIRITS ODORLESS
20094

Respiratory protection

A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	liquid
Form	liquid
Colour	Clear light
Odour	hydrocarbon-like
Boiling point/boiling range	347 - 383 °F / 175 - 195 °C
Melting point/range	no data available
Sublimation point	no data available
pH	no data available
Flash point	124 °F / 51 °C Tag closed cup
Ignition temperature	no data available
Evaporation rate	no data available
Lower explosion limit/Upper explosion limit	no data available
Particle size	no data available
Vapour pressure	0.700 hPa @ 68 °F / 20 °C
Relative vapour density	no data available
Density	0.758 g/cm ³ @ 60.1 °F / 15.6 °C 6.32 lb/gal @ 60.00 °F / 15.56 °C
Bulk density	No data
Water solubility	negligible
Solubility(ies)	no data available
Partition coefficient: n-octanol/water	no data available
log Pow	no data available
Autoignition temperature	no data available
Viscosity, dynamic	no data available
Viscosity, kinematic	no data available
Solids in Solution	no data available
Decomposition temperature	no data available
Burning number	no data available

SAFETY DATA SHEET

Revision Date: 05/26/2011

Print Date: 10/9/2012

MSDS Number: R0000594

Version: 1.6

MINERAL SPIRITS ODORLESS
20094

Dust explosion constant no data available
Minimum ignition energy no data available

10. STABILITY AND REACTIVITY

Stability

Stable.

Conditions to avoid

Heat, flames and sparks.

Incompatible products

Strong oxidizing agents

Hazardous decomposition products

carbon dioxide and carbon monoxide, various hydrocarbons

Hazardous reactions

Product will not undergo hazardous polymerization.

Thermal decomposition

No data

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity

NAPHTHA (PETROLEUM), HEAVY ALKYLATE : LD 50 Rat: > 8,000 mg/kg

Acute inhalation toxicity

NAPHTHA (PETROLEUM), HEAVY ALKYLATE : LD 50 Rat: (>) 5,900 mg/m³; 4 h

Acute dermal toxicity

NAPHTHA (PETROLEUM), HEAVY ALKYLATE : LD 50 Rabbit: (>) 4,000 mg/kg

SAFETY DATA SHEET

Revision Date: 05/26/2011

Print Date: 10/9/2012

MSDS Number: R0000594

Version: 1.6

MINERAL SPIRITS ODORLESS
20094

12. ECOLOGICAL INFORMATION

Biodegradability

NAPHTHA (PETROLEUM), HEAVY ALKYLATE : no data available

Bioaccumulation

NAPHTHA (PETROLEUM), HEAVY ALKYLATE : no data available

Ecotoxicity effects

Toxicity to fish

NAPHTHA (PETROLEUM), HEAVY ALKYLATE : no data available

Toxicity to daphnia and other aquatic invertebrates.

NAPHTHA (PETROLEUM), HEAVY ALKYLATE : no data available

Toxicity to algae

NAPHTHA (PETROLEUM), HEAVY ALKYLATE : no data available

Toxicity to bacteria

NAPHTHA (PETROLEUM), HEAVY ALKYLATE : no data available

Biochemical Oxygen Demand (BOD)

NAPHTHA (PETROLEUM), HEAVY ALKYLATE : no data available

Chemical Oxygen Demand (COD)

NAPHTHA (PETROLEUM), HEAVY ALKYLATE : no data available

Additional ecological information

NAPHTHA (PETROLEUM), HEAVY ALKYLATE : no data available

13. DISPOSAL CONSIDERATIONS

SAFETY DATA SHEET

Revision Date: 05/26/2011

Print Date: 10/9/2012

MSDS Number: R0000594

Version: 1.6

MINERAL SPIRITS ODORLESS
20094

Waste disposal methods

Dispose of in accordance with all applicable local, state and federal regulations. Do not discharge effluent containing this product into lakes, streams, ponds or estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit, and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA. For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact NEXEO's Environmental Services Group at 800-637-7922.

14. TRANSPORT INFORMATION

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.
-----------	----------------------	---------------	--------------------	---------------	------------------------------

U.S. DOT - ROAD

NA 1993	Combustible liquid, n.o.s. (ALIPHATIC HYDROCARBONS)	CBL		III	
---------	--	-----	--	-----	--

U.S. DOT - RAIL

NA 1993	Combustible liquid, n.o.s. (ALIPHATIC HYDROCARBONS)	CBL		III	
---------	--	-----	--	-----	--

U.S. DOT - INLAND WATERWAYS

NA 1993	Combustible liquid, n.o.s. (ALIPHATIC HYDROCARBONS)	CBL		III	
---------	--	-----	--	-----	--

TRANSPORT CANADA - ROAD

UN 1268	PETROLEUM DISTILLATES, N.O.S.	3		III	
---------	----------------------------------	---	--	-----	--

TRANSPORT CANADA - RAIL

SAFETY DATA SHEET

Revision Date: 05/26/2011

Print Date: 10/9/2012

MSDS Number: R0000594

Version: 1.6

MINERAL SPIRITS ODORLESS
20094

UN	1268	PETROLEUM DISTILLATES, N.O.S.	3	III
----	------	----------------------------------	---	-----

TRANSPORT CANADA - INLAND WATERWAYS

UN	1268	PETROLEUM DISTILLATES, N.O.S.	3	III
----	------	----------------------------------	---	-----

INTERNATIONAL MARITIME DANGEROUS GOODS

UN	1268	PETROLEUM DISTILLATES, N.O.S.	3	III
----	------	----------------------------------	---	-----

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

UN	1268	PETROLEUM DISTILLATES, N.O.S.	3	III
----	------	----------------------------------	---	-----

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

UN	1268	PETROLEUM DISTILLATES, N.O.S.	3	III
----	------	----------------------------------	---	-----

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

UN	1268	DESTILADOS DE PETROLEO, N.E.P.	3	III
----	------	-----------------------------------	---	-----

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

15. REGULATORY INFORMATION

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.	
--	--

SARA Hazard Classification

SAFETY DATA SHEET

Revision Date: 05/26/2011

Print Date: 10/9/2012

MSDS Number: R0000594

Version: 1.6

MINERAL SPIRITS ODORLESS
20094

Fire Hazard
Acute Health Hazard

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

New Jersey RTK Label Information

NAPHTHA (PETROLEUM), HEAVY ALKYLATE 64741-65-7

Pennsylvania RTK Label Information

NAPHTHA (PETROLEUM), HEAVY ALKYLATE 64741-65-7

Notification status

US. Toxic Substances Control Act	y (positive listing)
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	y (positive listing)
China. Inventory of Existing Chemical Substances	y (positive listing)
Korea. Toxic Chemical Control Law (TCCL) List	y (positive listing)
Australia. Industrial Chemical (Notification and Assessment) Act	y (positive listing)
Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL). (Can. Gaz. Part II, Vol. 133)	y (positive listing)

	HMIS	NFPA
Health	1	--
Flammability	2	--
Physical hazards	0	
Instability		--
Specific Hazard	--	--

16. OTHER INFORMATION

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the

SAFETY DATA SHEET

Revision Date: 05/26/2011

Print Date: 10/9/2012

MSDS Number: R0000594

Version: 1.6

MINERAL SPIRITS ODORLESS
20094

information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by NEXEO's Environmental Health and Safety Department (1-800-325-3751).