

**MAX****Safety Data Sheet**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form : Mixture
Product name : MAX
Product code : HCS-107

1.2. Relevant identified uses of the substance or mixture and uses advised against

Pot and pan dish soap. Consult your Service Representative for specific use directions. Do not mix with anything but water. Use only in an approved dispenser. Remove detergent container cover. Place container open end down in dispenser. Carefully lift container, when empty, from dispenser. Turn upright, and use cover from new container. If product contacts hands, wash off immediately.

1.3. Details of the supplier of the safety data sheet

Beacon Labs
19 Elmwood Avenue
Kansas City, 66103 - USA
T 1-800-643-9070; 1-913-713-4120

1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification (GHS-US)**

Skin Corr. 1B H314
Carc. 1A H350

Full text of H-phrases: see section 16

2.2. Label elements**GHS-US labeling**

Hazard pictograms (GHS-US) :



GHS08

Signal word (GHS-US) : Danger
Hazard statements (GHS-US) : H350 - May cause cancer
Precautionary statements (GHS-US) : P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P264 - Wash thoroughly after handling
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P308+P313 - If exposed or concerned: Get medical advice/attention
P310 - Immediately call a poison center/doctor
P321 - Specific treatment (see section 4)
P363 - Wash contaminated clothing before reuse
P405 - Store locked up
P501 - Dispose of contents/container to according to local, state, and federal regulations

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

**MAX****Safety Data Sheet**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients**3.1. Substance**

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
monoethanolamine	(CAS No) 141-43-5	10 - 14	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1B, H314
ethanol	(CAS No) 64-17-5	2.6 - 3	Flam. Liq. 2, H225 Carc. 1A, H350

Full text of H-phrases: see section 16

SECTION 4: First aid measures**4.1. Description of first aid measures**

Eye contact:	Immediately flush eye with copious amounts of cool, running water. Remove contact lenses if applicable, and continue flushing for at least 15 minutes, holding eyelids apart to ensure thorough rinsing of the entire eye. GET IMMEDIATE MEDICAL ATTENTION.
Skin contact:	Immediately flush skin with copious amounts of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician, immediately. Wash clothing before re-use.
Inhalation:	Move victim to fresh air and keep at rest position. If qualified give oxygen or artificial respiration as needed.
Ingestion:	DO NOT induce vomiting. Give large amounts of water if victim is conscious. Never give anything by mouth to an unconscious person. Seek medical attention immediately.
First-aid:	DO NOT use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration With the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

4.2. Most important symptoms and effects, both acute and delayed

Skin/eye burns. Corrosive to mouth and throat. Ingestion can cause severe and rapid burning of mouth, throat and digestive tract. Mucous membrane irritant.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician: If ingested, probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5: Firefighting measures**5.1. Extinguishing media**

The material is not combustible. Use extinguishing media appropriate for surrounding fire. Use water spray or fog, foam, dry chemical, carbon dioxide, alcohol foam, if product is involved. Use of water spray when fighting fire may be inefficient.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Wet product is slippery. Avoid physical contact with wet material; highly caustic. Wear self-contained positive pressurized breathing apparatus MSHA/NIOSH approved or equivalent to maintain TLV.

Explosion Data

Sensitivity to Mechanical Impact: None

Sensitivity to Static Discharge: None

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****6.1.1. For non-emergency personnel**

Ensure adequate ventilation. Avoid contact with skin, eyes, and clothing. Use personal protective equipment. Avoid breathing dust, fume, gas, mist, vapors, and spray. Wash face, hands and any exposed skin thoroughly after handling.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment.



MAX

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Sweep up solids, soak up if liquified. Transfer to appropriate waste container. Neutralize residue with mild acid and flush with water. Dispose of in accordance with local, state, and federal regulations.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Wash thoroughly after work using soap and water. Do not eat, drink or smoke when using this product. Always use personal protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Keep container in well-ventilated area. Keep container tightly closed when not in operation. Store away from incompatible materials. Keep out of the reach of children.

7.3. Specific end use(s)

Pot and pan dish soap. Consult your Service Representative for specific use directions. Do not mix with anything but water. Use only in an approved dispenser. Remove detergent container cover. Place container open end down in dispenser. Carefully lift container, when empty, from dispenser. Turn upright, and use cover from new container. If product contacts hands, wash off immediately.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

MAX		
ACGIH	Not applicable	
OSHA	Not applicable	
ethanol (64-17-5)		
ACGIH	ACGIH STEL (ppm)	1000 ppm
ACGIH	Remark (ACGIH)	URT irr
OSHA	OSHA PEL (TWA) (mg/m ³)	1900 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
monoethanolamine (141-43-5)		
ACGIH	ACGIH TWA (ppm)	3 ppm
ACGIH	ACGIH STEL (ppm)	6 ppm
ACGIH	Remark (ACGIH)	Eye & skin irr
OSHA	OSHA PEL (TWA) (mg/m ³)	6 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	3 ppm

8.2. Exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Color	: Pink
Odor	: There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour(s): Alcohol odour Pleasant odour Characteristic odour Mild odour Unpleasant odour Ammonia odour Smell of fish No data available on odour Odourless
Odor threshold	: No data available
pH	: 7.8
Melting point	: No data available



MAX

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 250 °F
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Solubility	: Water: Solubility in water of component(s) of the mixture : •: •: < 0.1 g/100ml •: •: 0.044 g/100ml •: 44.45 g/100ml
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The material is not combustible. Use extinguishing media appropriate for surrounding fire. Use water spray or fog, foam, dry chemical, carbon dioxide, alcohol foam, if product is involved. Use of water spray when fighting fire may be inefficient.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Strong oxidants

10.5. Incompatible materials

Strong oxidants

10.6. Hazardous decomposition products

Oxides of sulfur and nitrogen

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

ethanol (64-17-5)	
LD50 oral rat	10740 mg/kg body weight (Rat; OECD 401: Acute Oral Toxicity; Experimental value)
LD50 dermal rabbit	> 16000 mg/kg (Rabbit; Literature study)
ATE US (oral)	10740.000 mg/kg body weight
monoethanolamine (141-43-5)	
ATE US (oral)	500.000 mg/kg body weight
ATE US (dermal)	1100.000 mg/kg body weight
ATE US (dust, mist)	1.500 mg/l/4h

Skin corrosion/irritation : Causes severe skin burns and eye damage.
pH: 7.8



MAX

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Serious eye damage/irritation	: Not classified pH: 7.8
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.

ethanol (64-17-5)

IARC group	1 - Carcinogenic to humans
------------	----------------------------

Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified

Specific target organ toxicity (repeated exposure)	: Not classified
--	------------------

Aspiration hazard	: Not classified
-------------------	------------------

SECTION 12: Ecological information

12.1. Toxicity

ethanol (64-17-5)

LC50 fish 1	14200 mg/l (96 h; Pimephales promelas)
EC50 Daphnia 1	9300 mg/l (48 h; Daphnia magna)
LC50 fish 2	13000 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)
EC50 Daphnia 2	10800 mg/l (24 h; Daphnia magna)
Threshold limit other aquatic organisms 1	65 mg/l (72 h; Protozoa)
Threshold limit algae 1	1450 mg/l (192 h; Microcystis aeruginosa; Growth rate)
Threshold limit algae 2	5000 mg/l (168 h; Scenedesmus quadricauda; Growth rate)

monoethanolamine (141-43-5)

LC50 fish 1	150 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Pure substance)
EC50 Daphnia 1	140 mg/l (Daphnia magna; Pure substance)
LC50 fish 2	329.16 mg/l (96 h; Lepomis macrochirus; Pure substance)
TLM fish 1	100 - 1000,96 h; Pisces; Pure substance
TLM other aquatic organisms 1	100 - 1000,96 h; Pure substance

12.2. Persistence and degradability

ethanol (64-17-5)

Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.
Biochemical oxygen demand (BOD)	0.8 - 0.967 g O ₂ /g substance
Chemical oxygen demand (COD)	1.70 g O ₂ /g substance
ThOD	2.10 g O ₂ /g substance
BOD (% of ThOD)	0.43 % ThOD

monoethanolamine (141-43-5)

Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil.
Biochemical oxygen demand (BOD)	0.80 g O ₂ /g substance
Chemical oxygen demand (COD)	1.34 g O ₂ /g substance
ThOD	2.49 g O ₂ /g substance
BOD (% of ThOD)	0.32 % ThOD

12.3. Bioaccumulative potential

ethanol (64-17-5)

BCF fish 1	1 (72 h; Cyprinus carpio)
Log Pow	-0.31 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).



MAX

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

monoethanolamine (141-43-5)	
Log Pow	-1.91
Bioaccumulative potential	Bioaccumulation: not applicable.

12.4. Mobility in soil

ethanol (64-17-5)	
Surface tension	0.022 N/m (20 °C)

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of contents/container according to local, state, and federal regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN2491 Ethanolamine solutions, 8, III
 UN-No.(DOT) : UN2491
 Proper Shipping Name (DOT) : Ethanolamine solutions
 Transport hazard class(es) (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136
 Hazard labels (DOT) : 8 - Corrosive



Packing group (DOT) : III - Minor Danger
 DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
 DOT Packaging Bulk (49 CFR 173.xxx) : 241
 DOT Special Provisions (49 CFR 172.102) : IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).
 T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)
 TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / 1 + a (tr - tf)$ Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.
 DOT Packaging Exceptions (49 CFR 173.xxx) : 154
 DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 5 L
 DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 60 L
 DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
 DOT Vessel Stowage Other : 52 - Stow "separated from" acids

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

UN-No. (IMDG) : 2491
 Proper Shipping Name (IMDG) : ETHANOLAMINE SOLUTION



MAX

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Class (IMDG) : 8 - Corrosive substances
Packing group (IMDG) : III - substances presenting low danger

Air transport

UN-No. (IATA) : 2491
Proper Shipping Name (IATA) : Ethanolamine solution
Class (IATA) : 8 - Corrosives
Packing group (IATA) : III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

MAX
Not listed on the United States TSCA (Toxic Substances Control Act) inventory
ethanol (64-17-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
monoethanolamine (141-43-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

No additional information available

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

National regulations

ethanol (64-17-5)
Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

ethanol (64-17-5)
U.S. - New Jersey - Right to Know Hazardous Substance List
monoethanolamine (141-43-5)
U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information



MAX

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Carc. 1A	Carcinogenicity Category 1A
Flam. Liq. 2	Flammable liquids Category 2
Skin Corr. 1B	Skin corrosion/irritation Category 1B
H225	Highly flammable liquid and vapor
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H332	Harmful if inhaled
H350	May cause cancer

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product